

T10N-R02W-21_0000_MCS

FATFER & GOSNELL

LARRY SOUTHERN
N 88° 18' W

MAURICE CORNMAN
1321.29

FATFER

5.00 ACRES

S 88° 18' E

1321.42'

GOSNELL

5.00 ACRES

S 88° 18' E

1321.55'

FRANKLIN DIKE

951.00' SOUTH
NW CORNER
W 1/2, NE 1/4
SECT 21
T 10N, R 2W

RED HILL ROAD
SOUTH 330.00'

VICTOR POLITICAL
STONE

165.00'
R/W

165.00'
330.00'


CLAUDE MARTINDALE

NO SCALE

DESCRIPTION:

A part of the West half of the Northeastquarter of Section 21, Township 10 North, Range 2 West, Monroe County, Indiana, described as follows:

Beginning at a point that is 951.00 feet South of the Northwest corner of the said West half of the said Northeast quarter, thence South, over and along the centerline of a County Road for a distance of 330.00 feet; thence South 88 degrees 18 minutes East for a distance of 1321.55 feet, thence North 00 degrees 02 minutes 47 seconds West for a distance of 330.00 feet, thence North 88 degrees 18 minutes West for a distance of 1321.29 feet and to the place of beginning. Containing in all 10.00 acres, more or less. Subject to all legal highways and easements of record.



Raymond Graham

Raymond Graham
R.P.E. 8409 Indiana
3215 N. Smith Pike
Bloomington, Indiana
Sept. 4, 1979

Jan 1848

Established for Joseph Houstow the Nth cor of Sth 1/4
 of Nth q^{tr} of Sec 21 T10 R2 west witness Birch 12
 inch diam S 75° E 20 links dist Hickory 18 in diam
 S 5° E 17 lks dist

Henry Tanner M & S

Jan 1848

Established for Philip Burger the Nth cor of Sec 2
 T8 R2 west witness Iron red Oak 30 in diam S 3° E
 122 lks dist

Henry Tanner M & S

Sept 25th 1849

Established for Schileas Burch a corner in the center
 of Sec 8 T7 R2 west witness Tr Walnut 16 inch diam
 west 13 1/2 links Sugar 5 in diam S 35° E 36 lks dist

x

also for Schileas Burch & John Burch the Sth cor
 of Nth q^{tr} of Nth q^{tr} section 8 T7 R2 west witness
 Black oak 5 inch diam N 15° E 30 1/2 lks distant
 Hickory 14 inch diam S 15 1/2° E 46 links dist

also for Schileas Burch the Nth cor of Nth q^{tr}
 of Sth q^{tr} of section 8 T7 R2 west witness Spruce 15
 inch diam S 10° E 18 lks dist Birch 8 inch N 42° E
 46 lks dist

also for Schileas Burch & George Adams the Nth cor
 of Sth q^{tr} of Nth q^{tr} of Sec 8 T7 R2 west
 witness Ironwood 6 inch diam S 21° E 18 lks dist Birch
 18 inch diam S 17° E 57 lks dist

James Goodbern M & S

Sept 26th 1849

Established for John Burch & George Adams the Sth cor
 of Nth q^{tr} of Nth q^{tr} of Sec 8 T7 R2 west witness
 Ironwood 10 in diam N 65° E 4 lks dist Dogwood 8 in
 diam N 32° E 10 1/2 lks dist Variation 6° S 77° E 17"

James Goodbern M & S

laid off 2 acres
 small Thomas
 and in section 21
 the Nth cor has
 diameter 27° E
 dist to 1 chain
 dist to 2 poles
 then to the starting
 variation 6°

laid off for Jan
 section 15 T8 R2
 beginning at (A)
 106 poles to (B)
 106 poles to (C)
 established cor

N 36° E 11 1/2 lks
 23 lks dist

21 lks distant

found small
 chain Bearer

laid off as
 found length
 of the Sth cor
 established
 cor Burch
 S 25° E 22
 9 links dist
 said Bearer
 Peter Baria
 John James
 Joseph Do

48½° E 36 lbs distant Buck 6 inches in diameter N 34° E 32 lbs
New witnesses made at the ½ mile post of Section 2 T
10 R 1 E W Oak 24 inches in diameter S 37° E 26 lbs dist
Chain bearers John Moore and Jacob Adkins sworn
This march 16th A D 1834

Trust 800
Rec. 700
Dm 100

James W Spencer
Deane County Surveyor

March 17th 18th A D 1834

Surveyed Section 14 T 8 R 2 W
+ established the following corners Viz The NW corner of the
Section wit trees W Buck 3 N 46½° E 8 lbs Sugar 8 N 81° W 7 lbs
N.E. corner of NW gr of NW gr Sugar 8 S 12 E 21 W Walnut 16 W 18
The S.W. cor of NW gr of NW gr Hickory 12 S 29 W 48 Buck 16 N 16 W 10
The S.E. cor of NW gr of NW gr Sugar 20 S 12 E 14 Buck 14 S 20 W 18
The S.W. cor of SE gr of SE gr gum 12 N 45 W 17 W Oak 12 N 47 E 18
The S.E. cor of SE gr of SE gr Elm 20 N 18 W 21 W Oak 8 S 37 E 33
The S.E. cor of SE gr of SE gr W Oak 12 N 50 W 25 W Oak 16 N 58 E 16
The S.W. cor of SE gr of SE gr Hickory 10 N 25 W 15 Maple 10 S 81 W 29
Center of Section Hickory 10 S 46 W 11 gum 20 S 9 W 80
The S.W. cor of NW gr of SE gr W Oak 20 S 11 W 23 Hickory 12 West 21
The S.E. cor of NW gr of SE gr Hickory 10 N 25 E 25 Hickory 12 S 63 W 14
The S.E. cor of SE gr of SE gr W Oak 20 N 80 E 16 Dogwood 8 S 26 W 18
The S.W. cor of SE gr of SE gr W Oak 20 corner tree
The S.E. cor of SE gr of SE gr Buck 18 S 42 E 13 Dogwood 3 S 79 E 20
The S.W. corner of Section W Walnut 4 N 73 E 35
The S.E. cor of SE gr of SE gr Hickory 12 N 60 W 28 Dogwood 8 N 82 E 40
George Eller }
Kiley Adkins } ch br

James Woodburn
Deft Surveyor

April 11th 1834

Established a corner in the center of Section 21 T 10
R 2 W for Eli Abernathy + there wit trees Buck 8 S 19 W 7 lbs dist
Dogwood 4 S 34 E 6
James Woodburn
Deft

April 1834

Surveyed in Section 20 T 10 R 2 W for Bowman
Stine + others and established the following corners
Viz The N.E. cor of E ½ of NW gr wit trees Buck 20 N 59 W 8 lbs
Buck 6 S 45 E 25 ½ "
The S.W. cor of E ½ of NW gr " Buck 10 S 78 E 37 "
Buck 8 S 64 E 71 "
The NW cor " " " " B Walnut 10 S 82 E 113 "
Cherry 2 S 40 E 14

Oct 26th 1847

ran the following line for Charlotte Shell in Section 28
 T10 R 2 west Began at the $\frac{1}{2}$ mile North of said Section
 then S 65° E 322 poles 12 links to $\frac{1}{2}$ mile South witness
 standing then N 85° E 161 poles 21 links to S E Cor then
 + N 6° W 319 poles & links to the N E Cor then N 85° W 162
 poles & links to the Beginning
 James L Shell James M Cowan &
 George J Howell chain Bearers Sworn

Henry Tanner M C S

Oct 27th 1847

ran the following lines for Gideon Walker in Sec 21 & 22
 T10 R 2 west Began at a stone at the center of Sec 22
 then S 85° W 162 poles & links to $\frac{1}{2}$ mile stake west of 22
 + then S 85° W 162 poles to center of Sec 21 then N 6° W to $\frac{1}{2}$
 mile North of Sec 21
 John Swafford James L Shell
 chain Bearers Sworn

Henry Tanner M C S

Oct 28th 1847

ran the following lines in Sec 16. T10 R 2 west for John
 Swafford & others Began at the $\frac{1}{2}$ mile post then S 86° W
 325 poles 23 links to west $\frac{1}{2}$ mile post then Began at
 + South $\frac{1}{2}$ mile stake N 6° W to center of Section witness
 trees at $\frac{5}{8}$ mile not standing
 John Swafford & Doc Walker
 chain Bearers Sworn

Henry Tanner M C S

Nov 10th 1847

ran the following line in Sec 20 T9 R 2 west for Lem
 Sexton John Sanford Began at the West $\frac{1}{2}$ mile post
 + then N 85° E 327 poles 15 links from S $\frac{1}{2}$ mile post to
 North $\frac{1}{2}$ mile post N 6° W 326 poles 27 links
 Lemel Sexton & Mr Greenwood
 chain Bearers Sworn

Henry Tanner M C S